



AreaFlood Pro

A general purpose LED area floodlight
with superior optical performance

THORN

New AreaFlood Pro with superior optical performance

New from Thorn, AreaFlood Pro is a general purpose outdoor/indoor area and sports floodlight.

- Superior optical performance and control with minimal spill light and Ocd at 90° for the comfort of users and neighbouring residents
- Efficient LEDs (minimum 117lm/W and up to 140lm/W) can reduce energy consumption by more than 50%
- Maintenance-free 100 000-hour lifetime (L90B10 at Ta 25°C) for both the LED and drivers
- Fantastic lumens per size ratio with a choice of three sizes and multiple optics from 3400 lm to 37 100 lm
- Compact, lightweight design for ease of installation/retrofit into any existing column and reduced structural costs





Car parks

Regardless of their size, car parks demand highly flexible optics and installation as well as the need for energy savings over long operating hours. AreaFlood Pro offers a variety of optics, installation options and efficient LEDs to place the right level of light where needed.

Logistics areas

Loading zones and other logistical areas have high lighting demands to ensure all activities have the correct levels of light for the safety of those working in the space. Thanks to its range of sizes, installation options and optics, AreaFlood Pro can accommodate a wide range of mounting heights and lighting levels.

Sports halls

In multi-use sports halls there is often one sport which has more lighting demands than others. In addition, the structural design of the building will place restrictions both in luminaire positioning and weight. AreaFlood Pro is able to meet all these requirements with its optimised lumen package per size, specific optics, lighting controls and installation and maintenance flexibility.

Tennis courts


Regardless of whether the court is outdoor or indoor, tennis court lighting demands good visibility for players and spectators, as well as guaranteeing that the ball is always clearly visible. AreaFlood Pro's optics have been specifically developed to meet these requirements by taking into consideration optimum illumination levels, distribution of light across the surface and glare minimisation.

Swimming pools

The aim of swimming pool lighting is to ensure that swimming can be undertaken both safely and skillfully, and that spectators can see the action clearly and comfortably. Surface reflectance and penetration of light into the water varies with the angle of incidence, which impacts on the choice and aiming position of the luminaire. AreaFlood Pro and its specific optics are able to answer these highly demanding requirements.

Optimise your lighting

With its flexible choice of sizes and optics, AreaFlood Pro offers optimum lighting across a wide range of applications.




Logistic area

Dimensions: 400 x 175m

Description: 21 x Masts with 20m installation height

EN 12464-2	Product	Specs	Qty	Total Power of Installation	Eav lux	Emin/Eav	Maintenance Factor
Loading Area Short-term handling of large units	AreaFlood Pro Medium 72L70	18 933lm 154W A6 optic	138	21 252W	20	0.32	0.9
Loading Area Short-term handling of large units	AreaFlood Pro Large 144L70	36 183lm 308W EWR optic	184	56 672W	50	0.44	0.9



Multi purpose sports hall


Dimensions: 44 x 24 m

Basketball: Playing Area 28x15m (Calculation Grid 13x7 points)

Handball: Playing Area 40x20m (Calculation Grid 15x7 points)

Description: 7.7m installation height

Class EN 12193	Product	Specs	Qty	Total Power of Installation	Eav lux	Emin/Eav	Maintenance Factor
III	AreaFlood Pro Small 24L70	6318lm 52W A6 optic	14	728W	78	0.55	0.9
II	AreaFlood Pro Medium 72L70	18 933lm 154W A6 optic	14	2156W	225	0.76	0.9
I	AreaFlood Pro Large 144L70	37 145lm 308W A6 optic	16	4928W	510	0.75	0.9




Swimming pool

Dimensions: 25 x 15 m

Calculation grid: 13 x 7

Description: 9m installation height

Class EN 12193	Product	Specs	Qty	Total Power of Installation	Eav lux	Emin/Eav	Maintenance Factor
III	AreaFlood Pro Medium 72L50	14 312lm 109W A5 optic	14	1526W	208	0.75	0.9
II	AreaFlood Pro Large 144L35	20 871lm 151W A5 optic	14	2114W	308	0.75	0.9
I	AreaFlood Pro Large 144L70	37 145lm 308W A5 optic	14	4312W	547	0.75	0.9



Single tennis court

Dimensions: 24 x 11 m (Principal Playing Area) - 36 x 18 m (Total Playing Area)

Calculation grid: 15 x 7





Description: 4 Masts of 8m height

Class EN 12193	Product	Specs	Qty	Total Power of Installation	Eav lux	Emin/Eav	Maintenance Factor
III	AreaFlood Pro Large 120L70	31 286lm 258W A4/A5 optic	8	2064W	227	0.6	0.9
II	AreaFlood Pro Large 120L70	31 286lm 258W A4/A5 optic	12	3096W	301	0.71	0.9
I	AreaFlood Pro Large 120L70	31 286lm 258W A4/A5 optic	20	5160W	503	0.7	0.9

Optical choice



Suitable for a wide range of applications, AreaFlood Pro offers a choice of five optics for efficient and effective lighting. Precise light control and optimum light distribution help maximise comfort and energy savings.

Asymmetrical optics





A4: 40° Asymmetrical Optic

A5: 50° Asymmetrical Optic





A6: 60° Asymmetrical Optic

Road optics



EWR: Extra Wide Road Optic



WR: Wide Road Optic

Lighting Controls

Controlling light is easy with a choice of stand alone, local and remote controls.

Rising energy costs combined with reducing budgets and the need to be more resourceful with energy consumption means lighting control has an important role to play.


For maximum flexibility, AreaFlood Pro integrates all types of controls from the lighting point to the network level.

Zumtobel Group Services (ZGS) offers a wide range of consultancy services, as well as installation and maintenance of lighting management systems.

Benefits of lighting control

- Reduced energy consumption
- Longer luminaire life
- Optimised maintenance cycles
- Reduced site visits
- Lower costs

BPS: Bi-Power Switch
 BPX-Y%: Bi-Power Customised
 BPL: Bi-Power Line
 LRT: Light Reduction Twin-Phases.



Stand-alone controls

Time switches, photocells and motion detection.


These simple controls offer reliable savings with little effort. AreaFlood Pro is fitted with Thorn's Bi-Power Switch (BPS) as standard to give the option of dimming to 50% for eight hours at night. Bi-Power does not require external control wiring and its settings can be easily customised or deactivated (BPX-Y%). Optional photocells (Minicell) can save as much as 50% by reacting to available daylight, while motion sensors offer the possibility of even higher savings.



Local controls

Cabinet control for a group of luminaires via control line.

Using typically a local control cabinet, local controls via Bi-Power Line Switch dim (BPL and LRT) or DALI allow the dimming of a group of lighting points according to the detection of people and vehicles. Without the need for extensive commissioning, this approach offers good energy savings while still providing all the required light on demand.



Remote controls


Remote central management systems for individual control and monitoring via power line or radio frequency.

Offering maximum flexibility and convenience, remote controls ensure the provision of the right light at the right time without the need to visit lighting points or scout for failures. Control can be on an individual or group basis with central switching and/or dimming influencing energy use. Performance data can also be collected.

Energy saving opportunities

Reduce energy consumption by more than 50% with AreaFlood Pro.


- Efficient LEDs (up to 140 lm/W) can reduce energy consumption by more than 50%
- Choice of several lumen outputs from 3400lm to 37100lm ensure just the right amount of light for the application
- Wide range of control options to provide light as and when needed
- Choice of five optics to optimise light distribution and minimise waste light



Heavy traffic car park

A large DIY (Do It Yourself) store car park, with specific requirements of 50 lux maintained illuminance, due to CCTV, security of visitors and for heavy traffic and specific events. The refurbishment programme aims at replacing old AreaFlood HID 250W with the new AreaFlood Pro. Dimensions of area: 113x63m; 841 calculation points; 8 columns (8m high); 32 floodlights installed.

	Required	Old AreaFlood HID 250W	AreaFlood Pro EWR 72 LED	AreaFlood Pro EWR 96 LED
Power consumption		279W	154W	205W
Luminaire lumens output		18 900lm	18 335lm	24 682lm
Number of floodlights		32	32	24
Number of columns		8	8	8
Mechanical tilting angle		45°	0°	0°
Maintained average illuminance	50lux	52lux	56lux	56lux
Initial average illuminance	62lux	65lux	70lux	70lux
Uniformity (min/ave)	0,25	0,33	0,284	0,253
Energy savings			44%	44%
Additional savings (dimming to the required Eh)			6%	6%



Single Tennis Court Class III (Training)

Single Tennis Court Class III with specific requirements of 200 lux maintained illuminance used for training. The refurbishment programme aims at replacing old AreaFlood HID 400W with the new AreaFlood Pro. Dimensions of area: 36x18m, 4 columns (10m high); 12 floodlights installed.

	Required	Old AreaFlood HID 400W	New AreaFlood Pro 120LEDs/A5 + A4
Power consumption	-	433W	258W
Luminaire lumens output	-	26700lm	31 286lm
Number of floodlights		12	8
Number of columns		4	4
Maintained average illuminance	200lux	235lux	203lux
Uniformity (min/ave)	0,6	0,62	0,6
Energy savings			51%

Installation and mounting

Increase speed and efficiency.

Designed with contractor speed and efficiency in mind, AreaFlood Pro is very quick and easy to install.

Simply open the luminaire to access the gear housing before placing and connecting the power cable. Once the luminaire is screwed back together, simply install and aim as desired.

Install in just 6 simple steps



Step 1: Untighten the four screws positioned at the back of the luminaire.



Step 2: Open the back cover to access the gear housing.



Step 3: Open the gear housing cover to access the connectors for main supply and controls.



Step 4: Place the cable into the luminaire through the cable gland and plug into the connector.



Step 5: Close the cover and tighten the screws in the back of the luminaire.




Step 6: After installation in a mast/wall/surface, aim and tilt the luminaire accordingly.

Lightweight and easy to integrate

AreaFlood Pro is ideal for retrofits.

AreaFlood Pro is compact and lightweight to easily replace existing HID solutions and retrofit into any existing column while minimising structural costs

The lightweight design also makes AreaFlood Pro easy to carry and install for contractors.



Product specification

A general purpose LED area floodlight with superior optical performance.

Application

- Building surrounds
- Loading areas
- Car parks
- Sports applications at club level:
multipurpose sports hall, indoor gymnasium,
swimming pool, tennis court (single and double)

Specification

To specify state: Asymmetrical LED floodlight for general purpose area lighting and sports lighting. 3 sizes available, lumen packages from 3400lm to 37 100lm, with a range of 5 light distributions. High performance floodlight with excellent control of light (Ocd at 90°), high mechanical resistance (IP66, IK08) and full controls compatibility (dimming, lighting controls). Available in electrical class I and class II.


As Thorn AreaFlood Pro.

Standards


IK08 IP66 $T_a^{-20/+35}$    

	Small		Medium		Large		
Number of LED	24	36	48	72	96	120	144
Luminaire power consumption (W)*	28 - 52	39 - 77	51 - 104	76 - 154	101 - 205	125 - 258	151 - 308
Luminaire lumen output (lm)*	3400 - 6300	5100 - 9400	6800 - 12700	10200 - 18900	13600 - 25200	17000 - 31200	20300 - 37100
Luminaire efficacy (lm/W)*	more than 120	more than 120	more than 120	more than 119	more than 120	more than 118	more than 117
Light distributions	A4 / A5 / A6 / EWR / WR						
Colour Temperature	4000K (3000K and 5700K on request)						
CRI	70 for 4000K (other CRI on request)						
Operating temperature	-25°...+35°		-25°...+35°		-25°...+35° (for 96LED - 120LED up to 500mA - 144LED up to 500mA) -25°...+25° (120LED 700mA - 144LED 700mA)		
Housing	Die cast aluminium						
Optical cover	Tempered Flat glass 4mm						
Stirrup	Galvanised Steel						
Shock resistance	IK08						
Optical compartment	IP66						
Control gear	IP66						
Electrical Class	CL1 & CL2						
Dimension	462x265x138mm		458x490x139mm		658x490x139mm		
Weight	6,5kg		14kg		18,5kg		
Colour finish	Light grey close to RAL9006 (any other upon request)						
Mounting	Fixation of the production using a stirrup with different inclination angle and fixation points (Option: Accessory for Post-top Ø60mm/76mm)						
Stand alone controls	BPS (Bi-Power switch with 8h-50% output reduction, dimming activated) - BPx-xx (Bi-Power (xh-x% output reduction) - Minicell						
Local controls	BPL (Bi-Power Line) - LRT (Light Reduction Twin-Phases) - DALI						
	Nema socket - RF - PL						
Surge protection	6KV CM/DM						
	10kV external SPD upon request						
Other accessories, options	Visors, Louvres, Fuses, Pre-wired						


* all the values for Lumen Output, Power and Efficacy are linked to the different driving current and optics available



AreaFlood Pro S



AreaFlood Pro M



AreaFlood Pro L



Thorn Lighting Main Offices

Africa

ZG Lighting France
156 Boulevard Haussmann
75379 Paris Cedex 08, France
T +33 1 49 53 62 62
F +33 1 49 53 62 40
thorn.promotion@zumtobelgroup.com
www.thornlighting.fr

Australia

ZG Lighting Australia Pty Ltd
43 Newton Road, Wetherill Park,
NSW 2164
T +61 2 8786 6000
F +61 2 9612 2700
infoaustralia@zumtobelgroup.com
www.thornlighting.com.au

Austria

ZG Lighting Austria GmbH
Wagramer Strasse 19
1220 Wien
T +43 1 258 26 01-0
F +43 1 258 26 01-82845
info.at@zumtobelgroup.com
www.thornlighting.at

Benelux

ZG Lighting Benelux
Rijksweg 47 A, Industriezone Puurs Nr.
442 BE-2870 Puurs, Belgium
T +32 3 860 93 93
F +32 3 886 25 00
infobe@thornlighting.com
www.thornlighting.be

Bosnia and Herzegovina

ZG Lighting d.o.o.
Zmaja od Bosne br.
7 – Importanne Centar
BiH-71 000 Sarajevo
T +38 733 59 04 63
F +38 733 59 04 63
welcome.ba@zumtobelgroup.com
www.thornlighting.ba

China

Thorn Lighting (Guangzhou) Limited
12A Lian Yun Road Eastern Section
GETDD, Guangzhou
510530, P.R. China
T +86 20 2232 6000
Sales Hotline: 400 8080 195
info.cn@zumtobelgroup.com
zumtobel.com.cn

Thorn Lighting (Guangzhou) Limited
Shanghai Branch
Room 802, No.H Building, No.142
Tianlin Road,
Shanghai 200233, P.R. China
T +86 20 8551 5759

Thorn Lighting (Guangzhou) Limited
Beijing Branch
Room 2101, Block B, Jianwai
SOHO East, 39 East 3rd Ring Road,
Chaoyang District,
Beijing 100022, P.R. China
T +86 10 6505 4601

Thorn Lighting (Guangzhou) Limited
Guangzhou Branch
23E, Sanxin Building, No. 33
Huangpu Road West, Tianhe District
Guangzhou 510623, P.R.China
T +86 20 8551 5759

Croatia

ZG Lighting d.o.o.
Ulica Petra Hektorovića 2
10000 Zagreb, Croatia
T +38 516 40 40 80
F +38 516 40 40 90
welcome@zumtobel.hr
www.thornlighting.hr

Cyprus, Greece, Malta and Turkey

Zumtobel Lighting GmbH
Schweizer Strasse 30,
A-6851 Dornbirn, Austria
T +43 5572 39 00
F +43 5572 22 826
welcome@zumtobel.si
www.thornlighting.com

Czech Republic

ZG Lighting Czech Republic s.r.o.,
Jankovcova 2, 170 00 Praha 7
T +42 266 78 22 00
F +42 266 78 22 01
thorn.cz@zumtobelgroup.com
www.thornlighting.cz

Denmark

Thorn Lighting A/S
Stamholmen 155, 5. sal,
2650 Hvidovre
T +45 76 96 36 00
kundeservice.dk@zumtobelgroup.com
www.thornlighting.dk

France

ZG Lighting France
156 Boulevard Haussmann,
75379 Paris Cedex 08, France
T +33 149 53 62 62
thorn.promotion@zumtobelgroup.com
www.thornlighting.fr

Germany

ZG Licht Süd GmbH
Carl-Benz-Straße 21
60386 Frankfurt
T +49 69 26 48 89-0
F +49 69 26 48 89-80
frankfurt@zumtobel.com
www.thornlighting.de

Hong Kong, Taiwan

ZG Lighting Hong Kong Ltd.
Unit 503 – 508, 5/F, Building 16W,
Phase 3, Hong Kong Science Park,
New Territories, Hong Kong
T +852 2578 4303
F +852 2887 0247
info.hk@zumtobelgroup.com

Hungary

ZG Lighting Hungary Kft
1134 Budapest,
Váci út 49.
T +36 1 450 2490
F +36 1 350 0829
welcome@zumtobel.hu
www.zumtobel.hu

India

Thorn Lighting India Pvt. Ltd.
No.43, Chamiers Road,
Raja Annamalaipuram,
Chennai – 600028, Tamilnadu, India.
T +91 44 2435 7588
F +91 44 2435 8744
info.in@thornlighting.com
www.thornlighting.in

Ireland

Thorn Lighting (Ireland) Limited
Century House, Harold's Cross Road,
Dublin 6W
T +353 1 4922 877
F +353 1 4922 724
dublinsales@zumtobelgroup.com
www.thornlighting.co.uk

Italy

ZG Lighting Srl socio unico
Via G Di Vittorio, 2,
Cadriano di Granarolo,
Bologna 40057, Italy
T +39 051 763391
F +39 051 763088
thorn.it@zumtobelgroup.com
www.thornlighting.it

Kingdom of Saudi Arabia

Zumtobel Lighting Saudi Arabia Ltd.
Al Rawadah District
Prince Sultan St. Al Murjanah Tower
Bldgt. No 8125, 2nd Floor, Office 204
P.O. Box 11911 Jeddah, 21463
T +966 012 565 8823 ext.4
F +966 012 6533153
marketing.mena@zumtobelgroup.com
www.thornlighting.ae

Korea

#1506, Union Center Building,
310, Gangnam road, Gangnam-gu.
Seoul 06253, Korea
T +82 2 565 8823 ext.4
F +82 2 565 8827
info.kr@zumtobelgroup.com

Latin America

ZG Lighting Southern Europe
and Latam, S.L.
Calle Orinoco 90, planta 21, Of. 03
Las Condes, Santiago de Chile (Chile)
T +56 22 573 77 80
info.latam@zumtobelgroup.com
www.thornlighting.es
www.thornlighting.com

Luxembourg

ZG Lighting Benelux
Rue de Luxembourg 177
8077 Bertrange, Luxembourg
T +352 26 44 03 50
F +352 26 44 03 51
info.lu@thornlighting.com
www.thornlighting.lu

Middle East - Bahrain, Kuwait, Jordan, Palestine, Lebanon, Iran, Yemen, Oman

Thorn Lighting Ltd
48 Street, Al Quoz industrial area,
P.O.Box: 22672,
Dubai, United Arab Emirates
T +971 4 294 8938
marketing.mena@zumtobelgroup.com
www.thornlighting.ae

The Netherlands

ZG Lighting Benelux
Piet Heinkade 55
1019 GM Amsterdam, the Netherlands
T +31 20 235 23 00
F +31 20 235 23 99
info.nl@thornlighting.com
www.thornlighting.nl

New Zealand

ZG Lighting (NZ) Limited
27 Jomac Place, Avondale,
Auckland 1026
T +64 9 828 7155
F +64 9 828 7591
info.nz@zumtobelgroup.com
www.thornlighting.co.nz

Norway

Thorn Lighting AS
Bygdøy allé 4, 0257 Oslo
T +47 22 82 07 00
kundeservice.no@zumtobelgroup.com
www.thornlighting.no

Poland

ZG Lighting Polska Sp. Z o.o.
Ul. Walska 9A
02-583 Warszawa
Polska
T +48 22 856 74 31
zgpolska@zumtobelgroup.com
www.thornlighting.pl

Qatar

Thorn Lighting WLL
Abdul Jaleel Business Centre,
Office No. 304, Najma,
Old Airport road Doha, P.O. Box 6026,
State of Qatar
T +974 4432 1445
F +974 4432 1445
dakshata.sathy@zumtobelgroup.com
www.thornlighting.ae

Romania

Zumtobel Lighting Romania SRL
Str. Radu Greceanu 2, Sector 1
012225, Bucuresti, Romania
T +40 31225 3801
ro.welcome@zumtobelgroup.com
www.thornlighting.com

Russia

Thorn Lighting
Skakovaya str., h. 17, bl. 2,
office 2110 125040, Moscow
T +7 495 981 35 40
F +7 495 981 35 42
office.moscow@zumtobelgroup.com
www.thornlighting.ru

Serbia and Montenegro

ZG Lighting d.o.o.
Beton hala – Karadordeva 2-4
11000 Beograd, Serbia
T +381 (0) 11 65 57 656
welcome.rs@zumtobel.com
www.thornlighting.rs

Singapore

Thorn Lighting (Singapore) Pte Ltd
158 Kallang Way # 06-01/02
Singapore 349245
T +65 6844 5800
F +65 6745 7707
info.sg@zumtobelgroup.com

Slovakia

ZG Lighting Slovakia s.r.o.
Tomášikova 64
831 04 Bratislava
T +421 220 300 044
welcome@zumtobel.sk
www.thornlighting.sk

Slovenia

ZG Lighting d.o.o.
Štukljeva cesta 46,
1000 Ljubljana, Slovenia
T +386 1 56 09 820
si.welcome@zumtobelgroup.com
www.thornlighting.si

South + East Africa

Thorn Lighting Ltd
Durhamgate, Spennymoor,
County Durham, DL16 6HL
Main Switchboard
United Kingdom
T +44 1388 42 00 42
www.thornlighting.co.uk

Spain

ZG Lighting Iberia, S.L.
C/ Inocencio Fernández, 81 Bajo
28035 Madrid (Spain)
T +34 916 593 076
info.spain@zumtobelgroup.com
www.thornlighting.es

Sweden

Thorn Lighting
Hyllie Boulevard 10b
215 32 Malmö
T +46 40 649 20 00
F +46 418 265 74
kundservice.se@zumtobelgroup.com
www.thornlighting.se

Switzerland

Zumtobel Licht AG
Thurgauerstrasse 39, 8050 Zürich
T +41 44 305 35 35
F +41 44 305 35 36
info@thornlighting.ch
www.thornlighting.ch

United Arab Emirates - Dubai

Thorn Lighting Ltd Dubai
48 Street, Al Quoz industrial area,
P.O.Box: 22672, Dubai,
United Arab Emirates
T +971 4 294 8938
marketing.mena@zumtobelgroup.com
www.thornlighting.ae

United Kingdom

ZG Lighting (UK) Limited
Durhamgate, Spennymoor,
County Durham, DL16 6HL
T +44 1388 42 00 42
F +44 1388 42 01 56
lightcentreuk@zumtobelgroup.com
www.thornlighting.co.uk

www.thornlighting.com



5 Year Warranty

As a globally leading luminaire manufacturer, Thorn Lighting provides a five-year warranty for its complete product range within all European Countries.

www.thornlighting.com/warranty

Thorn Lighting is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated.

SAP: 96644235 Publication Date: 06/17



www.pefc.org

THORN

thornlighting.com/AFLP