

# ROPHY

Designed for Sports and Area Lighting

ZUMTOBEL Group Member

## THE FLOODLIGHT REPLACEMENT OF CHOICE

Trophy is the lightest 2kW equivalent LED flood light in the market. It is an ideal choice for wide-ranging refurbishments of conventional installations – in sports and other areas.



Areas for controlled spill light



Recreational sports



Multi-sports halls



Transportation & industrial areas



Logistics



Car Parks



Coastal Installation



Feather-Light



For more information





Lighting for Sports Module



Sports application guide


## LIGHTING PROJECT FLEXIBILITY

Installation lighting requirements are dependent on the sport and the competitive level. The higher the level of competition, the greater the requirements. Designed for flexibility, Trophy covers a broad range of sports lighting needs.

### **AIMING DEVICE**

The aiming device is included in every fitting





FRONT VISOR

## LIGHTING BY DESIGN

Trophy provides a choice of two lumen outputs and two distributions (AS1 and AS2) together with a combination of different louvres/visors accessories to provide excellent illuminance, uniformity and spill control.

Trophy	AS1	AS2
Three modules fitting	200,000 lm	215,000 lm
Two modules fitting	140,000 lm	150,000 lm


0




### **DRIVEN TO PERFORM**

With its compact IP65 gearbox, Trophy delivers superb performance in all types of installations. Fully controllable over DALI-2, it provides instant, flicker-free lighting while also supporting stepped illumination levels as well as event and dynamic lighting scenarios.

### **BACK VISOR**




### LOUVERS



## **CONTROL UNWANTED LIGHT**

Trophy can be equipped with a number of accessories to control unwanted light. Back/front visors and louvers offer excellent spill light control to cover the project requirements.






Connection Box provided with M25 gland. The fitting does not have any exposed cables.




## KEEPING LIGHT POLLUTION TO A MINIMUM

Trophy is a genuine asymmetric solution for sports training and area light installations. Combining quality optics with a number of accessories, it focusses light forward with a defined cut-off to help reduce artificial sky glow, glare and intrusive light.



Components of light pollution.



Trophy provides no direct upward light with its asymmetric distribution.



Maitland, NSW - AUS




### LIGHTING WITH TROPHY

During a refurbishment project, it is important to consider the weight and windage of selected products and their suitability for existing or proposed mounting structures.


Note that a floodlight mounted horizontal to the ground, as with an asymmetric distribution, helps to decrease windage and provides better control of spill light.

Trophy three modules installation provides  $Scx 0^{\circ} = 0.091 \text{ m}2$  and 22.4 kg.



🔕	IP66		$T_{a}^{-20}_{+45}$	AS/NZS 60598			WT (KG)	SAP CODE
Flood lights								
TROPHY 312L757 AS1					17.6	96652485		
TROPHY 312	2L757 /	AS2					17.6	96652488
TROPHY 46	8L757	AS1					22.4	96652489
TROPHY 468L757 AS2					22.4	96652490		
Control gea	rs							
TROPHY GE	8 IP66	312L10	5 240	-415V (	CL1 DA		5.1	96652491
TROPHY GB IP66 468L105 240-415V CL1 DA 5.4					5.4	96652492		
Accessories								
TROPHY BI	RD DE	TERRE	NT (1	modul	e)			96652800
TROPHY L LOUVRE (1 module)						96652801		
TROPHY R LOUVRE (1 module)							96652802	
TROPHY B LOUVRE (1 module)							96652803	
TROPHY L+R LOUVRE (1 module)							96652804	
TROPHY L+B LOUVRE (1 module)							96652805	
TROPHY R+B LOUVRE (1 module)							96652806	
TROPHY L+R+B LOUVRE (1 module)							96652807	
TROPHY VISOR							96652808	
				-				


## INSTALLATION POSSIBILITIES




Direction of Light

Safety and simplicity are crucial when installing and maintaining a high-powered floodlight at great heights. As a complete lighting solution for both outdoor and indoor spaces, Trophy is ideally suited for a large variety of mast configurations, mountings and heights. Featuring a lighter, more compact design and improved thermal management, it is now even easier to install.

ACCESSORIES



**BIRD DETERRENT** Prevents birds from landing on and damaging the floodlight.





LOUVERS An add-on to reduce side or back spill.





VISOR An add-on to deeper reduce front and back spill.
























## DISCOVER TROPHY

	468L757 AS1	468L757 AS2	312L757 AS1	312L757 AS2					
	205,000 lm	215,000 lm	140,000 lm	150,000 lm					
Ø	138 lm/W	148 lm/W	133 lm/W 143 lm/W						
	5700 K								
CRI	70								
00	IP66								
	–20°C to +45°C								
	ІКО8								
<ul><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li><li>✓</li></ul>	10 kV surge voltage protection								
O kg	22.4 kg without gearbox	22.4 kg without gearbox							
Ø	Resistant to sea side environment - C5 - EN 44300 (LM6), SS 316 fixings								
	Up to 50 000 h L90B50								
不	AS1 - 60°, AS2 - 35°								
	Scx 0° = 0,091 m²	Scx 0° = 0,091 m²	Scx 0° = 0,091 m <sup>2</sup> Scx 0° = 0,091 m <sup>2</sup>						
V	Finished in grey (RAL 9007)								
	240V-415V DALI-2								

#### AUSTRALIA

#### NSW - Headquarters

ZG Lighting Australia Pty Ltd 2/7 Millner Avenue Horsley Park, NSW 2175 Australia T +61 1300 139 965 info.au@zumtobelgroup.com zumtobelgroup.com

#### NSW - LIGHT CENTRE

ZG Lighting Australia Pty Ltd 306 Pacific Highway Crows Nest, NSW 2065 Australia T +61 1300 139 965 info.au@zumtobelgroup.com zumtobelgroup.com

#### NEW ZEALAND

#### AUCKLAND - Headquarters

ZG Lighting (NZ) Limited 27 Jomac Place Avondale, Auckland 1026 New Zealand T 0800 800 834 T +64 (9) 828 7155 F +64 (9) 828 7591 info.nz@zumtobelgroup.com zumtobelgroup.com

## THORN

#### VIC

ZG Lighting Australia Pty Ltd 163 Epsom Road Flemington, VIC 3031 Australia T +61 1300 139 965 info.au@zumtobelgroup.com zumtobelgroup.com

#### QLD

ZG Lighting Australia Pty Ltd Suite 4B, 51 Alfred Street Fortitude Valley, QLD 4006 Australia T +61 1300 139 965 info.au@zumtobelgroup.com zumtobelgroup.com

#### WA

Scope Lighting Pty Ltd 14 Christable Way Landsdale, WA 6065 Australia T +61 1300 139 965 info.au@zumtobelgroup.com zumtobelgroup.com

#### SA

ZG Lighting Australia Pty Ltd South Australia T +61 1300 139 965 info.au@zumtobelgroup.

#### TAS

Watts Lighting U4/4 Higson Street Midway Point, TAS 7171 Australia T +61 1300 139 965 info.au@zumtobelgroup.com zumtobelgroup.com

#### NT

Global Lighting Solutions Pty Ltd Cnr Mataram St & Coonawarra Rd Winnellie, NT 0820 Australia T +61 1300 139 965 info.au@zumtobelgroup.com zumtobelgroup.com

#### WELLINGTON

ZG Lighting (NZ) Limited Level 2, 225 Thorndon Quay Pipitea, Wellington 6011 New Zealand T 0800 800 834 T +64 04 815 8010 F +64 04 499 6058 info.nz@zumtobelgroup.com zumtobelgroup.com

#### CHRISTCHURCH

ZG Lighting (NZ) Limited Unit 6/18 Bernard Street Addington, Christchurch 8024 New Zealand T 0800 800 834 T +64 03 366 2485 F +64 03 366 8905 info.nz@zumtobelgroup.com zumtobelgroup.com