CiviTEQ


Cost-effective LED road lighting solution for refurbishment projects




- Offers the best balance between cost of ownership and performance. Fitted with R-PEC® optic to bring safe and efficient light to residential streets and high traffic roads
- Available in 2 sizes up to 19klm, 12 precise light distributions and versatile installation possibilities - CiviTEQ adapts to any installation layout
- Comprehensive range of controls incorporating the Bi-Power Switch to activate or deactivate dimming onsite
- Compact and lightweight luminaire for easy handling and installation with a low windage

Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.







96643264

Material/Finish

Classic version or GY-S : Housing, canopies : die-cast aluminium (EN AC-44300) light grey 150 sanded textured (close to RAL9006) and spigot die cast aluminium non painted
Version ANT: Housing, canopies, spigot: die-cast aluminium (EN AC-44300) texturized anthracite grey (close to RAL7043) with a white mask. Standard corrosion class C5 according to ISO 9223:2012.
Other RAL colours on request.
Glass: 4 mm thick
Fixings: stainless steel

Installation/Mounting

Suitable for mounting on top Ø76mm or Ø60mm (by ordering the correct version or adapter)
Suitable for mounting on side Ø60mm or Ø42mm (by ordering the correct version or adapter)
Variable tilting setting: 0° to +10° on post top mounting and -20° to 0° on lateral mounting, in 5° steps.
Tilt adaptor 0° with bracket tilted at -45° as accessory.
Cable gland for Ø8 to 12mm cable. Delivered ready to install, complete with factory fitted integral gear tray, all supplied in a single carton.

ENEC, IP66, IK08, SC1, SC2, CE, RCM, Ta=25

Thorn Lighting is constantly developing and improving its products. The right is reserved to change specifications without prior notification or public announcement.
© Thorn Lighting

CiviTEQ

Ordering Guide Supplied complete with LED.

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CiviTEQ Accessories				
CQ S LOUVRES FRONT & BACK			2,4	96643221
CQ ADAPTOR MLE -45°			0,2	96643222
CQ L LOUVRES FRONT & BACK			3	96628087
CQ M76 EXTERNAL SPIGOT			0,65	59008132
CQ M60 EXTERNAL SPIGOT			0,65	59008133
CQ M42 EXTERNAL SPIGOT			0,48	59008134
CiviTEQ Small, Narrow road optic				
CQ 36L70 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627556
CQ 12L35 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627873
CQ 12L50 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627874
CQ 12L70 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627875
CQ 12L105 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627876
CQ 24L35 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627877
CQ 24L50 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627878
CQ 24L70 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627879
CQ 24L105 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627880
CQ 36L35 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627881
CQ 36L50 740 NR BS 3550 CL2 M60 GY-S	LED		5,7	96627882
CQ 12L35-740 NR BP 3550 CL2 M60 GY-S	LED		5,654	96636213
CQ 12L50-740 NR BP 3550 CL2 M60 GY-S	LED		5,648	96636214
CQ 12L70-740 NR BP 3550 CL2 M60 GY-S	LED		5,648	96636215
CQ 12L105-740 NR BP 3550 CL2 M60 GY-S	LED		5,648	96636216
CQ 24L35-740 NR BP 3550 CL2 M60 GY-S	LED		5,738	96636217
CQ 24L50-740 NR BP 3550 CL2 M60 GY-S	LED		5,738	96636218
CQ 24L70-740 NR BP 3550 CL2 M60 GY-S	LED		5,738	96636219
CQ 24L105-740 NR BP 3550 CL2 M60 GY-S	LED		5,806	96636220
CQ 36L35-740 NR BP 3550 CL2 M60 GY-S	LED		6,076	96636221
CQ 36L50-740 NR BP 3550 CL2 M60 GY-S	LED		6,076	96636222
CQ 36L70-740 NR BP 3550 CL2 M60 GY-S	LED		6,076	96636223
CiviTEQ Small, Narrow road optic, configured products				
CQ 12L105 730 NR BS 3550 CL2 M60 GY-S	LED		5,6	96628505
CiviTEQ Small, Wide street optic				
CQ 24L50 740 WS BS 3550 CL2 M60 GY-S	LED		5,7	96643025
CQ 24L70 740 WS BS 3550 CL2 M60 GY-S	LED		5,7	96643026
CQ 36L35 740 WS BS 3550 CL2 M60 GY-S	LED		5,7	96643027
CQ 36L70 740 WS BS 3550 CL2 M60 GY-S	LED		5,7	96643029
CQ 12L35 740 WS BS 3550 CL2 M60 GY-S	LED		5,7	96643021
CQ 12L50 740 WS BS 3550 CL2 M60 GY-S	LED		5,7	96643022
CQ 12L70 740 WS BS 3550 CL2 M60 GY-S	LED		5,7	96643023
CQ 24L35 740 WS BS 3550 CL2 M60 GY-S	LED		5,7	96643024
CQ 24L35 730 WS BS 3550 CL2 M60 GY-S	LED		5,5	96628318
CiviTEQ Small, Wide street comfort optic				

Thorn Lighting is constantly developing and improving its products. The right is reserved to change specifications without prior notification or public announcement.
© Thorn Lighting

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CQ 12L35 740 WSC BS 3550 CL2 M60 GY-S	LED		5,7	96643057
CQ 12L50 740 WSC BS 3550 CL2 M60 GY-S	LED		5,7	96643058
CQ 12L70 740 WSC BS 3550 CL2 M60 GY-S	LED		5,7	96643059
CQ 24L35 740 WSC BS 3550 CL2 M60 GY-S	LED		5,7	96643060
CQ 24L50 740 WSC BS 3550 CL2 M60 GY-S	LED		5,7	96643061
CQ 24L70 740 WSC BS 3550 CL2 M60 GY-S	LED		5,7	96643062
CQ 36L35 740 WSC BS 3550 CL2 M60 GY-S	LED		5,7	96643063
CQ 36L50 740 WSC BS 3550 CL2 M60 GY-S	LED		5,7	96643064
CQ 36L70 740 WSC BS 3550 CL2 M60 GY-S	LED		5,7	96643065
CiviTEQ Small, Wet road optic				
CQ 12L35 740 RWT BS 3550 CL2 M60 GY-S	LED		5,7	96643075
CQ 12L50 740 RWT BS 3550 CL2 M60 GY-S	LED		5,7	96643076
CQ 12L70 740 RWT BS 3550 CL2 M60 GY-S	LED		5,7	96643077
CQ 24L35 740 RWT BS 3550 CL2 M60 GY-S	LED		5,7	96643078
CQ 24L50 740 RWT BS 3550 CL2 M60 GY-S	LED		5,7	96643079
CQ 24L70 740 RWT BS 3550 CL2 M60 GY-S	LED		5,7	96643080
CQ 36L35 740 RWT BS 3550 CL2 M60 GY-S	LED		5,7	96643081
CQ 36L50 740 RWT BS 3550 CL2 M60 GY-S	LED		5,7	96643082
CQ 36L70 740 RWT BS 3550 CL2 M60 GY-S	LED		5,7	96643083
CiviTEQ Small, Road comfort optic				
CQ 12L35 740 RC BS 3550 CL2 M60 GY-S	LED		5,7	96643093
CQ 12L70 740 RC BS 3550 CL2 M60 GY-S	LED		5,7	96643095
CQ 24L35 740 RC BS 3550 CL2 M60 GY-S	LED		5,7	96643096
CQ 24L50 740 RC BS 3550 CL2 M60 GY-S	LED		5,7	96643097
CQ 36L35 740 RC BS 3550 CL2 M60 GY-S	LED		5,7	96643099
CQ 36L70 740 RC BS 3550 CL2 M60 GY-S	LED		5,7	96643101
CiviTEQ Small, Wide road optic				
CQ 12L35 740 WR BS 3550 CL2 M60 GY-S	LED		5,7	96643111
CQ 12L50 740 WR BS 3550 CL2 M60 GY-S	LED		5,7	96643112
CQ 12L70 740 WR BS 3550 CL2 M60 GY-S	LED		5,7	96643113
CQ 24L35 740 WR BS 3550 CL2 M60 GY-S	LED		5,7	96643114
CQ 24L50 740 WR BS 3550 CL2 M60 GY-S	LED		5,7	96643115
CQ 36L35 740 WR BS 3550 CL2 M60 GY-S	LED		5,7	96643117
CQ 36L50 740 WR BS 3550 CL2 M60 GY-S	LED		5,7	96643118
CQ 36L70 740 WR BS 3550 CL2 M60 GY-S	LED		5,7	96643119
CQ 36L35 730 WR BS 3550 CL2 M60 GY-S	LED		5,6	96628568
CiviTEQ Small, Extra wide street optic				
CQ 12L35 740 EWS BS 3550 CL2 M60 GY-S	LED		5,7	96643129
CQ 12L50 740 EWS BS 3550 CL2 M60 GY-S	LED		5,7	96643130
CQ 12L70 740 EWS BS 3550 CL2 M60 GY-S	LED		5,7	96643131
CQ 24L35 740 EWS BS 3550 CL2 M60 GY-S	LED		5,7	96643132
CQ 24L50 740 EWS BS 3550 CL2 M60 GY-S	LED		5,7	96643133
CQ 24L70 740 EWS BS 3550 CL2 M60 GY-S	LED		5,7	96643134
CQ 36L35 740 EWS BS 3550 CL2 M60 GY-S	LED		5,7	96643135
CQ 36L50 740 EWS BS 3550 CL2 M60 GY-S	LED		5,7	96643136

Thorn Lighting is constantly developing and improving its products. The right is reserved to change specifications without prior notification or public announcement.
© Thorn Lighting

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CQ 36L70 740 EWS BS 3550 CL2 M60 GY-S	LED		5,7	96643137
CQ 12L70 730 EWS BS 3550 CL2 M60 GY-S	LED		5,5	96628556
CiviTEQ Small, Street comfort optic				
CQ 12L35 740 SC BS 3550 CL2 M60 GY-S	LED		5,7	96643165
CQ 12L50 740 SC BS 3550 CL2 M60 GY-S	LED		5,7	96643166
CQ 12L70 740 SC BS 3550 CL2 M60 GY-S	LED		5,7	96643167
CQ 24L35 740 SC BS 3550 CL2 M60 GY-S	LED		5,7	96643168
CQ 24L50 740 SC BS 3550 CL2 M60 GY-S	LED		5,7	96643169
CQ 24L70 740 SC BS 3550 CL2 M60 GY-S	LED		5,7	96643170
CQ 36L35 740 SC BS 3550 CL2 M60 GY-S	LED		5,7	96643171
CQ 36L50 740 SC BS 3550 CL2 M60 GY-S	LED		5,7	96643172
CQ 36L70 740 SC BS 3550 CL2 M60 GY-S	LED		5,7	96643173
CiviTEQ Small, Extra wide street comfort optic				
CQ 12L35 740 EWC BS 3550 CL2 M60 GY-S	LED		5,7	96643183
CQ 12L50 740 EWC BS 3550 CL2 M60 GY-S	LED		5,7	96643184
CQ 12L70 740 EWC BS 3550 CL2 M60 GY-S	LED		5,7	96643185
CQ 24L35 740 EWC BS 3550 CL2 M60 GY-S	LED		5,7	96643186
CQ 24L50 740 EWC BS 3550 CL2 M60 GY-S	LED		5,7	96643187
CQ 24L70 740 EWC BS 3550 CL2 M60 GY-S	LED		5,7	96643188
CQ 36L35 740 EWC BS 3550 CL2 M60 GY-S	LED		5,7	96643189
CQ 36L50 740 EWC BS 3550 CL2 M60 GY-S	LED		5,7	96643190
CQ 36L70 740 EWC BS 3550 CL2 M60 GY-S	LED		5,7	96643191
CQ 24L35 730 EWC BS 3550 CL2 M60 GY-S	LED		5,6	96628567
CiviTEQ Small, Extra wide road optic				
CQ 12L35 740 EWR BS 3550 CL2 M60 GY-S	LED		5,7	96643201
CQ 12L50 740 EWR BS 3550 CL2 M60 GY-S	LED		5,7	96643202
CQ 24L35 740 EWR BS 3550 CL2 M60 GY-S	LED		5,7	96643204
CQ 24L50 740 EWR BS 3550 CL2 M60 GY-S	LED		5,7	96643205
CQ 24L70 740 EWR BS 3550 CL2 M60 GY-S	LED		5,7	96643206
CQ 36L35 740 EWR BS 3550 CL2 M60 GY-S	LED		5,7	96643207
CQ 36L50 740 EWR BS 3550 CL2 M60 GY-S	LED		5,7	96643208
CQ 36L70 740 EWR BS 3550 CL2 M60 GY-S	LED		5,7	96643209
CiviTEQ Large, Narrow road optic				
CQ 48L35 740 NR BS 3550 CL2 M60 GY-S	LED		9,6	96627884
CQ 48L50 740 NR BS 3550 CL2 M60 GY-S	LED		9,6	96627885
CQ 48L70 740 NR BS 3550 CL2 M60 GY-S	LED		9,6	96627886
CQ 60L35 740 NR BS 3550 CL2 M60 GY-S	LED		9,6	96627887
CQ 60L50 740 NR BS 3550 CL2 M60 GY-S	LED		9,6	96627888
CQ 60L70 740 NR BS 3550 CL2 M60 GY-S	LED		9,6	96627889
CQ 72L35 740 NR BS 3550 CL2 M60 GY-S	LED		9,6	96627890
CQ 72L50 740 NR BS 3550 CL2 M60 GY-S	LED		9,6	96627891
CQ 72L70 740 NR BS 3550 CL2 M60 GY-S	LED		9,6	96627892
CQ 72L50 730 NR BS 3550 CL2 M60 GY-S	LED		9,305	96628403
CQ 48L35-740 NR BP 3550 CL2 M60 GY-S	LED		8,912	96636224
CQ 48L50-740 NR BP 3550 CL2 M60 GY-S	LED		8,912	96636225

Thorn Lighting is constantly developing and improving its products. The right is reserved to change specifications without prior notification or public announcement.
© Thorn Lighting

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CQ 48L70-740 NR BP 3550 CL2 M60 GY-S	LED		9,35	96636226
CQ 60L35-740 NR BP 3550 CL2 M60 GY-S	LED		9,394	96636227
CQ 60L50-740 NR BP 3550 CL2 M60 GY-S	LED		9,394	96636228
CQ 60L70-740 NR BP 3550 CL2 M60 GY-S	LED		9,394	96636229
CQ 72L35-740 NR BP 3550 CL2 M60 GY-S	LED		9,501	96636230
CQ 72L50-740 NR BP 3550 CL2 M60 GY-S	LED		9,501	96636231
CQ 72L70-740 NR BP 3550 CL2 M60 GY-S	LED		9,473	96636232
CiviTEQ Large, Wide street optic				
CQ 48L35 740 WS BS 3550 CL2 M60 GY-S	LED		9,6	96643030
CQ 48L50 740 WS BS 3550 CL2 M60 GY-S	LED		9,6	96643031
CQ 48L70 740 WS BS 3550 CL2 M60 GY-S	LED		9,6	96643032
CQ 60L35 740 WS BS 3550 CL2 M60 GY-S	LED		9,6	96643033
CQ 60L50 740 WS BS 3550 CL2 M60 GY-S	LED		9,6	96643034
CQ 60L70 740 WS BS 3550 CL2 M60 GY-S	LED		9,6	96643035
CQ 72L35 740 WS BS 3550 CL2 M60 GY-S	LED		9,6	96643036
CQ 72L50 740 WS BS 3550 CL2 M60 GY-S	LED		9,6	96643037
CQ 72L70 740 WS BS 3550 CL2 M60 GY-S	LED		9,6	96643038
CQ 72L50 730 WS BS 3550 CL2 M60 GY-S	LED		9,305	96628346
CQ 60L50 730 WS BS 3550 CL2 M60 GY-S	LED		8,555	96628570
CiviTEQ Large, Wide street comfort optic				
CQ 48L35 740 WSC BS 3550 CL2 M60 GY-S	LED		9,6	96643066
CQ 48L50 740 WSC BS 3550 CL2 M60 GY-S	LED		9,6	96643067
CQ 48L70 740 WSC BS 3550 CL2 M60 GY-S	LED		9,6	96643068
CQ 60L35 740 WSC BS 3550 CL2 M60 GY-S	LED		9,6	96643069
CQ 60L50 740 WSC BS 3550 CL2 M60 GY-S	LED		9,6	96643070
CQ 60L70 740 WSC BS 3550 CL2 M60 GY-S	LED		9,6	96643071
CQ 72L35 740 WSC BS 3550 CL2 M60 GY-S	LED		9,6	96643072
CQ 72L50 740 WSC BS 3550 CL2 M60 GY-S	LED		9,6	96643073
CQ 72L70 740 WSC BS 3550 CL2 M60 GY-S	LED		9,6	96643074
CQ 72L50 730 WSC BS 3550 CL2 M60 GY-S	LED		9,305	96628453
CiviTEQ Large, Wet road optic				
CQ 48L35 740 RWT BS 3550 CL2 M60 GY-S	LED		9,6	96643084
CQ 48L50 740 RWT BS 3550 CL2 M60 GY-S	LED		9,6	96643085
CQ 48L70 740 RWT BS 3550 CL2 M60 GY-S	LED		9,6	96643086
CQ 60L35 740 RWT BS 3550 CL2 M60 GY-S	LED		9,6	96643087
CQ 60L50 740 RWT BS 3550 CL2 M60 GY-S	LED		9,6	96643088
CQ 60L70 740 RWT BS 3550 CL2 M60 GY-S	LED		9,6	96643089
CQ 72L35 740 RWT BS 3550 CL2 M60 GY-S	LED		9,6	96643090
CQ 72L50 740 RWT BS 3550 CL2 M60 GY-S	LED		9,6	96643091
CQ 72L70 740 RWT BS 3550 CL2 M60 GY-S	LED		9,6	96643092
CiviTEQ Large, Road comfort optic				
CQ 48L35 740 RC BS 3550 CL2 M60 GY-S	LED		9,6	96643102
CQ 48L50 740 RC BS 3550 CL2 M60 GY-S	LED		9,6	96643103
CQ 48L70 740 RC BS 3550 CL2 M60 GY-S	LED		9,6	96643104
CQ 60L35 740 RC BS 3550 CL2 M60 GY-S	LED		9,6	96643105

Thorn Lighting is constantly developing and improving its products. The right is reserved to change specifications without prior notification or public announcement.
© Thorn Lighting

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CQ 60L50 740 RC BS 3550 CL2 M60 GY-S	LED		9,6	96643106
CQ 60L70 740 RC BS 3550 CL2 M60 GY-S	LED		9,6	96643107
CQ 72L35 740 RC BS 3550 CL2 M60 GY-S	LED		9,6	96643108
CQ 72L50 740 RC BS 3550 CL2 M60 GY-S	LED		9,6	96643109
CQ 72L70 740 RC BS 3550 CL2 M60 GY-S	LED		9,6	96643110
CiviTEQ Large, Wide road optic				
CQ 48L35 740 WR BS 3550 CL2 M60 GY-S	LED		9,6	96643120
CQ 48L50 740 WR BS 3550 CL2 M60 GY-S	LED		9,6	96643121
CQ 48L70 740 WR BS 3550 CL2 M60 GY-S	LED		9,6	96643122
CQ 60L35 740 WR BS 3550 CL2 M60 GY-S	LED		9,6	96643123
CQ 60L50 740 WR BS 3550 CL2 M60 GY-S	LED		9,6	96643124
CQ 60L70 740 WR BS 3550 CL2 M60 GY-S	LED		9,6	96643125
CQ 72L35 740 WR BS 3550 CL2 M60 GY-S	LED		9,6	96643126
CQ 72L50 740 WR BS 3550 CL2 M60 GY-S	LED		9,6	96643127
CQ 72L70 740 WR BS 3550 CL2 M60 GY-S	LED		9,6	96643128
CiviTEQ Large, Extra wide street optic				
CQ 48L35 740 EWS BS 3550 CL2 M60 GY-S	LED		9,6	96643138
CQ 48L50 740 EWS BS 3550 CL2 M60 GY-S	LED		9,6	96643139
CQ 48L70 740 EWS BS 3550 CL2 M60 GY-S	LED		9,6	96643140
CQ 60L35 740 EWS BS 3550 CL2 M60 GY-S	LED		9,6	96643141
CQ 60L50 740 EWS BS 3550 CL2 M60 GY-S	LED		9,6	96643142
CQ 60L70 740 EWS BS 3550 CL2 M60 GY-S	LED		9,6	96643143
CQ 72L35 740 EWS BS 3550 CL2 M60 GY-S	LED		9,6	96643144
CQ 72L50 740 EWS BS 3550 CL2 M60 GY-S	LED		9,6	96643145
CQ 72L70 740 EWS BS 3550 CL2 M60 GY-S	LED		9,6	96643146
CiviTEQ Large, Street comfort optic				
CQ 48L35 740 SC BS 3550 CL2 M60 GY-S	LED		9,6	96643174
CQ 48L50 740 SC BS 3550 CL2 M60 GY-S	LED		9,6	96643175
CQ 48L70 740 SC BS 3550 CL2 M60 GY-S	LED		9,6	96643176
CQ 60L35 740 SC BS 3550 CL2 M60 GY-S	LED		9,6	96643177
CQ 60L50 740 SC BS 3550 CL2 M60 GY-S	LED		9,6	96643178
CQ 60L70 740 SC BS 3550 CL2 M60 GY-S	LED		9,6	96643179
CQ 72L35 740 SC BS 3550 CL2 M60 GY-S	LED		9,6	96643180
CQ 72L50 740 SC BS 3550 CL2 M60 GY-S	LED		9,6	96643181
CQ 72L70 740 SC BS 3550 CL2 M60 GY-S	LED		9,6	96643182
CiviTEQ Large, Extra wide street comfort optic				
CQ 48L35 740 EWC BS 3550 CL2 M60 GY-S	LED		9,6	96643192
CQ 48L50 740 EWC BS 3550 CL2 M60 GY-S	LED		9,6	96643193
CQ 48L70 740 EWC BS 3550 CL2 M60 GY-S	LED		9,6	96643194
CQ 60L35 740 EWC BS 3550 CL2 M60 GY-S	LED		9,6	96643195
CQ 60L50 740 EWC BS 3550 CL2 M60 GY-S	LED		9,6	96643196
CQ 60L70 740 EWC BS 3550 CL2 M60 GY-S	LED		9,6	96643197
CQ 72L35 740 EWC BS 3550 CL2 M60 GY-S	LED		9,6	96643198
CQ 72L50 740 EWC BS 3550 CL2 M60 GY-S	LED		9,6	96643199
CQ 72L70 740 EWC BS 3550 CL2 M60 GY-S	LED		9,6	96643200

Thorn Lighting is constantly developing and improving its products. The right is reserved to change specifications without prior notification or public announcement.
© Thorn Lighting

CiviTEQ

Description	ILCOS Code	Socket	Wt (kg)	SAP Code
CiviTEQ Large, Extra wide road optic				
CQ 48L35 740 EWR BS 3550 CL2 M60 GY-S	LED		9,6	96643210
CQ 48L50 740 EWR BS 3550 CL2 M60 GY-S	LED		9,6	96643211
CQ 48L70 740 EWR BS 3550 CL2 M60 GY-S	LED		9,6	96643212
CQ 60L35 740 EWR BS 3550 CL2 M60 GY-S	LED		9,6	96643213
CQ 60L50 740 EWR BS 3550 CL2 M60 GY-S	LED		9,6	96643214
CQ 60L70 740 EWR BS 3550 CL2 M60 GY-S	LED		9,6	96643215
CQ 72L35 740 EWR BS 3550 CL2 M60 GY-S	LED		9,6	96643216
CQ 72L50 740 EWR BS 3550 CL2 M60 GY-S	LED		9,6	96643217
CQ 72L70 740 EWR BS 3550 CL2 M60 GY-S	LED		9,6	96643218
CiviTEQ Extra Large, Wide street optic				
CQ XL 120L35-740 WS BPS CL2 M60 GY	LED		20,1	96665728
CQ XL 120L50-740 WS BPS CL2 M60 GY	LED		20,1	96665737
CQ XL 120L70-740 WS BPS CL2 M60 GY	LED		20,1	96665746
CQ XL 144L35-740 WS BPS CL2 M60 GY	LED		20,1	96665755
CQ XL 144L50-740 WS BPS CL2 M60 GY	LED		20,1	96665764
CQ XL 144L70-740 WS BPS CL2 M60 GY	LED		20,1	96665773
CiviTEQ Extra Large, Road comfort optic				
CQ XL 120L35-740 RC BPS CL2 M60 GY	LED		20,1	96665725
CQ XL 120L50-740 RC BPS CL2 M60 GY	LED		20,1	96665734
CQ XL 120L70-740 RC BPS CL2 M60 GY	LED		20,1	96665743
CQ XL 144L35-740 RC BPS CL2 M60 GY	LED		20,1	96665752
CQ XL 144L50-740 RC BPS CL2 M60 GY	LED		20,1	96665761
CQ XL 144L70-740 RC BPS CL2 M60 GY	LED		20,1	96665770
<CQ XL 120L50-740 RC BPS CL2 GY	LED		18,429	96665788

Thorn Lighting is constantly developing and improving its products. The right is reserved to change specifications without prior notification or public announcement.
© Thorn Lighting